


***New Seismic Applied for (2002/05 to 2003/05)
summarised on width (meter) by total length (km)***

Width (meter)	Total Length (km)
0.0	26,025.40
0.1	2.80
0.2	14.60
0.5	4,286.30
0.6	514.00
0.7	44.70
0.8	56.00
0.9	320.30
1.0	1,998.50
1.1	181.30
1.2	107.40
1.3	196.40
1.4	28.20
1.5	10,385.10
1.6	57.60
1.7	1,512.20
1.8	32,970.90
1.9	7.30
2.0	907.90
2.1	49.90
2.2	55.60
2.3	102.40
2.4	0.20
2.5	15,965.40
2.6	2.90
2.7	1,276.90
2.8	663.90
2.9	76.20
3.0	24,729.10
3.1	58.70
3.2	52.00
3.3	1,883.70
3.4	335.40
3.5	8,925.80
3.6	105.20
3.7	277.80
3.8	88.40
3.9	85.40
4.0	3,248.00
4.1	50.70
4.2	107.90
4.3	121.80

4.4	58.50
4.5	25,547.80
4.6	146.10
4.7	100.50
4.8	254.40
4.9	8.80
5.0	30,437.70
5.1	3.90
5.2	49.40
5.3	4.00
5.4	2.30
5.5	417.90
5.7	6.30
5.9	0.30
6.0	178.40
7.0	17.90
8.0	39.70
<hr/>	
Total	195,154.10
<hr/>	
Ave. Width Weighted by Length	2.74

Source: ADAPT (Application Disposition Processing and Tracking)

New Seismic Applied for 2002/05 to 2003/05 (width compared to length)



New Seismic shot/completed (2002/05 to 2003/05 summarised on width (meter) by total length (km)

Width (meter)	Total Length (km)
0.0	11,963.56
0.1	0.12
0.2	14.46
0.5	1,931.45
0.6	514.00
0.7	48.49
0.8	56.76
0.9	321.20
1.0	1,332.35
1.1	188.81
1.2	112.63
1.3	245.83
1.4	101.24
1.5	4,201.13
1.6	61.60
1.7	742.27
1.8	6,027.12
1.9	7.34
2.0	314.84
2.1	51.74
2.2	67.84
2.3	105.97
2.4	10.93
2.5	3,776.29
2.6	131.38
2.7	2,284.27
2.8	705.45
2.9	310.59
3.0	6,269.65
3.1	95.73
3.2	219.04
3.3	1,311.36
3.4	530.55
3.5	3,014.39
3.6	199.40
3.7	596.26
3.8	120.66
3.9	187.61
4.0	5,163.10
4.1	211.52
4.2	233.10
4.3	149.46
4.4	144.49
4.5	13,685.95

4.6	229.81
4.7	171.13
4.8	402.68
4.9	24.34
5.0	8,727.79
5.1	19.68
5.2	54.64
5.3	6.47
5.4	3.48
5.5	332.61
5.7	11.48
5.8	0.48
5.9	0.29
6.0	1,123.68
7.0	9.12
7.5	8.24
8.0	19.18


Total 78,907.02

**Ave. Width Weighted by Length
(meter)**

2.85

Source: ADAPT (Application Disposition
Processing and Tracking)

New Seismic shot/completed 2002/05 to 2003/05 (width compared to length)



New Seismic Applied for (2002/05 to 2003/05) summarised on Method by Ave. width (meter) and total length (km)

METHOD	COUNT	Ave.Width (meter)	Total Length (km)
Conventional	8477	3.40	23,841
Low Impact	41241	3.02	136,453
Survey Line of Sight	2566	3.31	8,836
Minimal Impact	5047	0.00	26,023
			195,152

Source: ADAPT (Application Disposition Processing and Tracking)

Comparison of Length to Type of seismic for New Seismic Applied for 2002/05 to 2003/05

